

DECLARATION OF CONFORMITY

Liquid Rubber SprayGrade according to EN 15148

Product names: Rubbercoat Spray Grade, Wisershield 61, Shield Wall 39, SprayGrade

Manufacturer:

Company name : CRC Coating Technologies INC
Street : 6254 Skyway Road
City : Smithville
Postal code : L0R 2AO
Province : Ontario
Country : Canada

Authorized Representative /Person authorized to compile the Technical File:

Company name : CRC Coating Technologies INC
Address : same as above

This Declaration of Conformity is issued under the sole responsibility of the manufacturer.

Testing Lab:

Company name : Exova Canada Inc.
Street : 2395 Speakman Drive
City : Mississauga
Postal code : L5K 1B3
Province : Ontario
Country : Canada

Supplemental Letter of Equivalancy signed by Exova Canada Inc. available

Object of the Declaration:

SprayGrade

The object of the Declaration described above is in conformity with the relevant Community Harmonization Legislation:
EU CONSTRUCTION PRODUCTS DIRECTIVE 89/106/EEC

References to the relevant harmonized standards used or references to the specifications in relation to which conformity is declared:

Minimum layer thickness	2.0mm	Harmonized standard
Minimum quantity consumed	2,7 kg/m ²	
Water vapor transmission	0.59 g/m ² *24h	NEN-EN-ISO 7783:2011
Water absorption	0.0011 kg/m ² .sec ^{0.5}	NEN-EN-ISO 15148:2002
Adhesion to concrete initial (peel)	3.590 N/m	ASTM C836, Section 5.9
Adhesion to concrete heat aged (peel)	5.600 N/m	ASTM C836, Section 5.9
Dangerous substances	none	

Signed for and on behalf of CRC Coating Technologies Inc.



Greg Hart, president
CRC Coating Technologies Inc.